

Плиты с чугуновой жарочной поверхностью серий С36-NR, С36-AB, С36-AR

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: gyb@nt-rt.ru || сайт: <https://garland.nt-rt.ru/>



C36-NRR GARLAND CUISINE 36" CAST IRON RADIANT BROILER TOP RANGE WITH NONADJUSTABLE RACKS AND STANDARD OVEN

Can be installed individually or in a battery. range from 150° (low) to 500°F (66°-260°C). Comes with 1 chrome-plated oven rack and 4 rack positions

- W x D x H 36" x 39 1/2" x 50 1/2"
91,4 cm x 100,3 cm x 128,3 cm
- Power Output 148000 BTUs
- Power Input Type Gas – Natural
Gas – Propane



C36-NRC GARLAND CUISINE 36" CAST IRON RADIANT BROILER TOP RANGE WITH NONADJUSTABLE RACKS AND CONVECTION OVEN

Can be installed individually or in a battery. Broiler - Radiant broiler has an 18K BTU individual burner rating with nonadjustable cast-iron grates. Convection Oven - Stainless steel exterior and front rail for easy plating. Fully insulated porcelain or optional stainless steel oven interior with a heavy-duty, "keep-cool" door handle. Convection oven comes with a thermostat with a temperature range from 150° (low) to 500°F (66°-260°C). Comes with 3 chrome plated oven racks and 3 rack positions

- W x D x H 36" x 41" x 50 1/2"
91,4 cm x 104,1 cm x 128,3 cm
- Power Output 145000 BTUs
- Power Input Type Gas – Natural
Gas – Propane

Secondary Power Input

115-120 V x 60 Hz x 1 PH



C36-NRS GARLAND CUISINE 36" CAST IRON RADIANT BROILER TOP RANGE WITH NONADJUSTABLE RACKS AND STORAGE BASE

Can be installed individually or in a battery. Broiler - Radiant broiler has an 18K BTU individual burner rating with nonadjustable cast-iron grates. Stainless Steel Storage Base - Optional stainless steel doors and interior shelves

- W x D x H 36" x 39 1/2" x 46 1/4"
91,4 cm x 100,3 cm x 117,5 cm
- Power Output 54000 BTUs
- Power Input Type Gas – Natural
Gas – Propane



C36-NRM GARLAND CUISINE 36" CAST IRON RADIANT BROILER MODULA TOP WITH NONADJUSTABLE RACKS

Can be installed individually or in a battery.

- W x D x H 36" x 39 1/2" x 21 3/8"
91,4 cm x 100,3 cm x 54,3 cm
- Power Output 54000 BTUs
- Power Input Type Gas – Natural
Gas – Propane



C36-ABR GARLAND CUISINE 36" BRIQUETTE BROILER TOP RANGES WITH ADJUSTABLE RACKS AND STANDARD OVEN

Can be installed individually or in a battery except the oven based models C36- ABR/C which can only be connected with other C36-ABR/C broilers. range from 150° (low) to 500°F (66° - 260°C). Comes with 1 chrome-plated oven rack and 4 rack positions.

- W x D x H 36" x 39 1/2" x 54"
91,4 cm x 100,3 cm x 137,2 cm
- Power Output 175000 BTUs
- Power Input Type Gas – Natural
Gas – Propane



C36-ABC GARLAND CUISINE 36" BRIQUETTE BROILER TOP RANGES WITH ADJUSTABLE RACKS AND CONVECTION OVEN

Can be installed individually or in a battery except the oven based models C36- ABR/C which can only be connected with other C36-ABR/C broilers. Broiler - Briquette broiler has a 45K BTU burner rating with adjustable cast-iron grates. Convection Oven - Stainless steel exterior and

front rail for easy plating. Fully insulated porcelain or optional stainless steel oven interior with a heavy-duty, "keep-cool" door handle. Convection oven comes with a thermostat with a temperature range from 150° (low) to 500°F (66°-260°C). Comes with 3 chrome plated oven racks and 3 rack positions.

- W x D x H 36" x 41" x 54"
91,4 cm x 104,1 cm x 137,2 cm
- Power Output 172000 BTUs
- Power Input Type Gas – Natural
Gas – Propane

Secondary Power Input 115-120 V x 60 Hz x 1 PH



C36-ABS GARLAND CUISINE 36" BRIQUETTE BROILER TOP RANGES WITH ADJUSTABLE RACKS AND STORAGE BASE

Can be installed individually or in a battery except the oven based models C36- ABR/C which can only be connected with other C36-ABR/C broilers. Broiler - Briquette broiler has a 45K BTU burner rating with adjustable cast-iron grates. Stainless Steel Storage Base - Optional stainless steel doors and interior shelves

- W x D x H 36" x 39 1/2" x 48 3/8"
91,4 cm x 100,3 cm x 122,9 cm
- Power Output 135000 BTUs
- Power Input Type Gas – Natural
Gas – Propane



C36-ARR GARLAND CUISINE 36" CAST IRON RADIANT BROILER TOP RANGES WITH ADJUSTABLE RACKS AND STANDARD OVEN

Can be installed individually or in a battery except the oven based models C36- ARR/C which can only be connected with other C36-ARR/C broilers. Broiler - Radiant broiler has an 18K BTU individual burner rating with adjustable cast-iron grates. Oven - Stainless steel exterior and front rail for easy plating. Fully insulated porcelain or optional stainless steel oven interior with a heavy-duty, "keep-cool" door handle. Standard oven comes with a thermostat and has a temperature range from 150° (low) to 500°F (66°-260°C). Comes with 1 chrome-plated oven rack and 4 rack positions.

- W x D x H 36" x 39 1/2" x 54"
 91,4 cm x 100,3 cm x 137,2 cm
- Power Output 148000 BTUs
- Power Input Type Gas – Natural
 Gas – Propane



C36-ARC GARLAND CUISINE 36" CAST IRON RADIANT BROILER TOP RANGES WITH ADJUSTABLE RACKS AND CONVECTION OVEN

Can be installed individually or in a battery except the oven based models C36- ARR/C which can only be connected with other C36-ARR/C broilers. Broiler - Radiant broiler has an 18K BTU individual burner rating with adjustable cast-iron grates. Convection Oven - Stainless steel exterior and front rail for easy plating. Fully insulated porcelain or optional stainless steel oven interior with a heavy-duty, "keep-cool" door handle. Convection oven comes with a thermostat with a temperature range from 150° (low) to 500°F (66°-260°C). Comes with 3 chrome plated oven racks and 3 rack positions

- W x D x H 36" x 41" x 54"
91,4 cm x 104,1 cm x 137,2 cm
- Power Output 145000 BTUs
- Power Input Type Gas – Natural
Gas – Propane

Secondary Power Input 115-120 V x 60 Hz x 1 PH



C36-ARS GARLAND CUISINE 36" CAST IRON RADIANT BROILER TOP RANGES WITH ADJUSTABLE RACKS AND STORAGE BASE

Can be installed individually or in a battery except the oven based models C36- ARR/C which can only be connected with other C36-ARR/C broilers. Broiler - Radiant broiler has an 18K BTU individual burner rating with adjustable cast-iron grates. Stainless Steel Storage Base - Optional stainless steel doors and interior shelves

- W x D x H 36" x 39 1/2" x 46 3/8"
91,4 cm x 100,3 cm x 117,8 cm
- Power Output 108000 BTUs
- Power Input Type Gas – Natural
Gas – Propane

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: gyb@nt-rt.ru || сайт: <https://garland.nt-rt.ru/>