

Плиты серий С18, С12 и распределители

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: gub@nt-rt.ru || сайт: <https://garland.nt-rt.ru/>

C12-1 Garland Cuisine 12" Griddle Add-A-Unit - Manual Valve Control

Heavy Duty Griddle with Manual Valve Control

May be connected individually or in a battery.

Griddle Tops - Manual hi-lo valve control. 1" (25mm) thick steel plate griddle with 3" (76mm) wide grease trough. 12" Burner rated 30,000 BTU/h.

Stainless Steel Storage Base - Optional stainless steel doors and interior shelves.



C12-1M GARLAND CUISINE 12" GRIDDLE ADD-A-UNIT WITH MANUAL VALVE CONTROL MODULAR TOP

May be connected individually or in a battery.

Griddle Top - Manual hi-lo valve control. 1" (25mm) thick steel plate griddle with 3" (76mm) wide grease trough. 12" Burner rated 30,000 BTU/h.

Can be mounted on Polar Cuisine refrigerated base.

W x D x H	18" x 39 ³ / ₈ " x 12 ⁵ / ₈ " 45.7 cm x 100 cm x 32.1 cm
Power Output	30000 BTUs
Power Input Type	Gas - Natural Gas - Propane



**C12-1S GARLAND CUISINE 12"
GRIDDLE ADD-A-UNIT WITH MANUAL
VALVE CONTROL AND STORAGE BASE**

May be connected individually or in a battery.

Griddle Top - Manual hi-lo valve control. 1" (25mm) thick steel plate griddle with 3" (76mm) wide grease trough. 12" Burner rated 30,000 BTU/h.

Stainless Steel Storage Base - Optional stainless steel door and interior shelf.

W x D x H	18" x 39 ³ / ₈ " x 43 ¹ / ₄ " 45.7 cm x 100 cm x 109.9 cm
Power Output	30000 BTUs
Power Input Type	Gas - Natural Gas - Propane

C12-1-1 Garland Cuisine 12" Griddle Add-A-Unit - Thermostat Control

Heavy Duty Griddle with Thermostat Control

May be connected individually or in a battery.

Griddle Tops - Griddle control with embedded thermostat sensor bulb, low heat up to 450°F (232°C). 1" (25mm) thick steel plate griddle with 3" (76mm) wide grease trough. 12" Burner rated 30,000 BTU/h.

Stainless Steel Storage Base - Optional stainless steel doors and interior shelves.



C12-1-1S GARLAND CUISINE 12" GRIDDLE ADD-A-UNIT WITH THERMOSTAT CONTROL AND STORAGE BASE

May be connected individually or in a battery.

Griddle Top - Griddle control with embedded thermostat sensor bulb, low heat up to 450°F (232°C). 1" (25mm) thick steel plate griddle with 3" (76mm) wide grease trough. 12" Burner rated 30,000 BTU/h.

Stainless Steel Storage Base - Optional stainless steel door and interior shelf.

W x D x H	18" x 39 ³ / ₈ " x 43 ¹ / ₄ " 45.7 cm x 100 cm x 109.9 cm
Power Output	30000 BTUs
Power Input Type	Gas - Natural Gas - Propane



C12-1-1M GARLAND CUISINE 12" GRIDDLE ADD-A-UNIT WITH THERMOSTAT CONTROL MODULAR TOP

May be connected individually or in a battery.

Griddle Top - Griddle control with embedded thermostat sensor bulb, low heat up to 450°F (232°C). 1" (25mm) thick steel plate griddle with 3" (76mm) wide grease trough. 12" Burner rated 30,000 BTU/h.

Can be mounted on Polar Cuisine refrigerated base.

W x D x H	18" x 39 ³ / ₈ " x 12 ⁵ / ₈ " 45.7 cm x 100 cm x 32.1 cm
Power Output	30000 BTUs
Power Input Type	Gas - Natural Gas - Propane

C12-6 Garland Cuisine 12" Two Open Burner Add-A-Unit

Heavy Duty 2 x 12" Open Burner Unit

May be connected individually or in a battery.

Open Burner - Two Garland Starfire 12" open burners with 35,000 BTU/h with center

pilot and one-piece cast iron grates and bowls.

Stainless Steel Storage Base - Optional stainless steel doors and interior shelves.



**C12-6M GARLAND CUISINE 12" OPEN
BURNER ADD-A-UNIT MODULAR TOP**

May be connected individually or in a battery.

Open Burner - Garland Starfire 12" open burners with 35,000 BTU/h with center pilot and one-piece cast iron grates and bowls.

Can be mounted on Polar Cuisine refrigerated base.

W x D x H	18" x 39 ³ / ₈ " x 12 ⁵ / ₈ " 45.7 cm x 100 cm x 32.1 cm
Power Output	70000 BTUs
Power Input Type	Gas - Natural Gas - Propane



C12-6S GARLAND CUISINE 12" OPEN BURNER ADD-A-UNIT WITH STORAGE BASE

May be connected individually or in a battery.

Open Burner - Garland Starfire 12" open burners with 35,000 BTU/h with center pilot and one-piece cast iron grates and bowls.

Stainless Steel Storage Base - Optional stainless steel door and interior shelf.

W x D x H	18" x 39 ³ / ₈ " x 43 ¹ / ₄ "
	45.7 cm x 100 cm x 109.9 cm

Power Output	70000 BTUs
--------------	------------

Power Input Type	Gas - Natural Gas - Propane
------------------	--------------------------------

C12-8 Garland Cuisine 12" Even-Heat Hot Top Add-A-Unit

Heavy Duty Even-Heat Hot Top

May be connected individually or in a battery.

Even-Heat Hot Top - 12" hot top section with 25,000 BTU/h (NG)

Stainless Steel Storage Base - Optional stainless steel doors and interior shelves.



C12-8M GARLAND CUISINE 12" HOT TOP ADD-A-UNIT MODULAR TOP

May be connected individually or in a battery.

Hot Top - One 12" hot top section with 25,000 BTU/h (NG)

Can be mounted on Polar Cuisine refrigerated base.

W x D x H
18" x 39^{3⁄8}" x 12^{5⁄8}"
45.7 cm x 100 cm x 32.1 cm

Power Output	32500 BTUs
Power Input Type	Gas - Natural Gas - Propane



C12-8S GARLAND CUISINE 12" HOT TOP ADD-A-UNIT WITH STORAGE BASE

May be connected individually or in a battery.

Hot Top - One 12" hot top section with 25,000 BTU/h (NG)

Stainless Steel Storage Base - Optional stainless steel door and interior shelf.

W x D x H	18" x 39 ³ / ₈ " x 43 ¹ / ₄ " 45.7 cm x 100 cm x 109.9 cm
Power Output	25000 BTUs
Power Input Type	Gas - Natural Gas - Propane

C12-15 Garland Cuisine 12" French Top Add-A-Unit

Heavy Duty 12" Open Burner and 12" Even-Heat Hot Top Combination Top

May be connected individually or in a battery.

French Tops - 12" (305mm) 35,000 BTU/h front open top burner section and 12" (305mm) 15,000 BTU/h rear even-heat hot top section.

Stainless Steel Storage Base - Optional stainless steel doors and interior shelves.



C12-15M GARLAND CUISINE 12" FRENCH TOP ADD-A-UNIT MODULAR TOP

May be connected individually or in a battery.

French Top - 12" (305mm) 35,000 BTU/h front open top burner section and 12" (305mm) 15,000 BTU/h rear hot top section.

Can be mounted on Polar Cuisine refrigerated base.

W x D x H	18" x 39 ³ / ₈ " x 12 ⁵ / ₈ " 45.7 cm x 100 cm x 32.1 cm
Power Output	50000 BTUs
Power Input Type	Gas - Natural Gas - Propane



C12-15S GARLAND CUISINE 12" FRENCH TOP ADD-A-UNIT WITH STORAGE BASE

May be connected individually or in a battery.

French Top - 12" (305mm) 35,000 BTU/h front open top burner section and 12" (305mm) 15,000 BTU/h rear hot top section.

Stainless Steel Storage Base - Optional stainless steel door and interior shelf.

W x D x H	18" x 39 ³ / ₈ " x 43 ¹ / ₄ " 45.7 cm x 100 cm x 109.9 cm
Power Output	50000 BTUs
Power Input Type	Gas - Natural Gas - Propane

C12-S Garland Cuisine 12" Spreader

Heavy Duty Spreader

May be connected individually or in a battery.

Spreaders - Stainless steel top, front, and sides. 6" stainless Steel legs with adjustable feet.



C12-SC GARLAND CUISINE 12" SPREADER WITH CABINET BASE

May be connected individually or in a battery.

Spreader - Stainless steel top, front, and sides. 6" stainless Steel legs with adjustable feet.

Stainless Steel Storage Base - Optional stainless steel door and interior shelf.

W x D x H

12" x 32⁵/₈" x 43¹/₂"

30.5 cm x 82.9 cm x 110.5 cm



C12-SM GARLAND CUISINE 12" MODULAR SPREADER

May be connected individually or in a battery.

Spreader - Stainless steel top, front, and sides. 6" stainless Steel legs with adjustable feet.

Can be mounted on a Polar Cuisine refrigerated base.

W x D x H

12" x 32⁵/₈" x 17"

30.5 cm x 82.9 cm x 43.2 cm



C12-SP GARLAND CUISINE 12" SPREADER PLATE

May be connected individually or in a battery.

Spreader - Stainless steel top, front, and sides. 6" stainless Steel legs with adjustable feet.

W x D x H

12" x 32⁵/₈" x 14¹/₈"

30.5 cm x 82.9 cm x 35.9 cm

C18-1 Garland Cuisine 18" Griddle Add-A-Unit - Manual Valve Control

Heavy Duty Griddle with Manual Valve Control

May be connected individually or in a battery.

Griddle Tops - Manual hi-lo valve control. 1" (25mm) thick steel plate griddle with 3" (76mm) wide grease trough. 18" Burner rated 30,000 BTU/h.

Stainless Steel Storage Base - Optional stainless steel doors and interior shelves



C18-1S GARLAND CUISINE 18" GRIDDLE ADD-A-UNIT WITH MANUAL VALVE CONTROL AND STORAGE BASE

May be connected individually or in a battery.

Griddle Top - Manual hi-lo valve control. 1" (25mm) thick steel plate griddle with 3" (76mm) wide grease trough. 18" Burner rated 30,000 BTU/h.

Stainless Steel Storage Base - Optional stainless steel door and interior shelf.

W x D x H

18" x 39³/₈" x 43¹/₄"

45.7 cm x 100 cm x 109.9 cm

Power Output

30000 BTUs

Power Input Type

Gas - Natural
Gas - Propane



C18-1M GARLAND CUISINE 18" GRIDDLE ADD-A-UNIT WITH MANUAL VALVE CONTROL MODULAR TOP

May be connected individually or in a battery.

Griddle Top - Manual hi-lo valve control. 1" (25mm) thick steel plate griddle with 3" (76mm) wide grease trough. 18" Burner rated 30,000 BTU/h.

Can be mounted on Polar Cuisine refrigerated base.

W x D x H	18" x 39 ³ / ₈ " x 12 ⁵ / ₈ " 45.7 cm x 100 cm x 32.1 cm
Power Output	30000 BTUs
Power Input Type	Gas - Natural Gas - Propane

C18-1-1 Garland Cuisine 18" Griddle Add-A-Unit - Thermostat Control

Heavy Duty Griddle with Thermostat Control

May be connected individually or in a battery.

Griddle Tops - Griddle control with embedded thermostat sensor bulb, low heat up to 450°F (232°C). 1" (25mm) thick steel plate griddle with 3" (76mm) wide grease trough. 18" Burner rated 30,000 BTU/h.

Stainless Steel Storage Base - Optional stainless steel doors and interior shelves.



C18-1-1S GARLAND CUISINE 18" GRIDDLE ADD-A-UNIT WITH THERMOSTAT CONTROL AND STORAGE BASE

May be connected individually or in a battery.

Griddle Top - Griddle control with embedded thermostat sensor bulb, low heat up to 450°F (232°C). 1" (25mm) thick steel plate griddle with 3" (76mm) wide grease trough. 18" Burner rated 30,000 BTU/h.

Stainless Steel Storage Base - Optional stainless steel door and interior shelf.

W x D x H	18" x 39 ³ / ₈ " x 43 ¹ / ₄ "
	45.7 cm x 100 cm x 109.9 cm

Power Output	30000 BTUs
Power Input Type	Gas - Natural Gas - Propane



C18-1-1M GARLAND CUISINE 18" GRIDDLE ADD-A-UNIT WITH THERMOSTAT CONTROL MODULAR TOP

May be connected individually or in a battery.

Griddle Top - Griddle control with embedded thermostat sensor bulb, low heat up to 450°F (232°C). 1" (25mm) thick steel plate griddle with 3" (76mm) wide grease trough. 18" Burner rated 30,000 BTU/h.

Can be mounted on Polar Cuisine refrigerated base.

W x D x H	18" x 39 ^{3⁄8} " x 12 ^{5⁄8} " 45.7 cm x 100 cm x 32.1 cm
Power Output	30000 BTUs
Power Input Type	Gas - Natural Gas - Propane

C18-7 Garland Cuisine 18" Two Open Burner Add-A-Unit

Heavy Duty 2 x 18" Open Burner Unit

May be connected individually or in a battery.

Open Burner - Two Garland Starfire 18" open burners with 40,000 BTU/h with center pilot and one-piece cast iron grates and bowls.

Stainless Steel Storage Base - Optional stainless steel doors and interior shelves.



C18-7M GARLAND CUISINE 18" OPEN BURNER ADD-A-UNIT MODULAR TOP

May be connected individually or in a battery.

Open Burner - Garland Starfire 18" open burners with 40,000 BTU/h with center pilot and one-piece cast iron grates and bowls.

Can be mounted on Polar Cuisine refrigerated base.

W x D x H

18" x 39 $\frac{3}{8}$ " x 12 $\frac{5}{8}$ "

45.7 cm x 100 cm x 32.1 cm

Power Output

80000 BTUs

Power Input Type

Gas - Natural
Gas - Propane



C18-7S GARLAND CUISINE 18" OPEN BURNER ADD-A-UNIT WITH STORAGE BASE

May be connected individually or in a battery.

Open Burner - Garland Starfire 18" open burners with 40,000 BTU/h with center pilot and one-piece cast iron grates and bowls.

Stainless Steel Storage Base - Optional stainless steel door and interior shelf.

W x D x H	18" x 39 ³ / ₈ " x 43 ¹ / ₄ " 45.7 cm x 100 cm x 109.9 cm
Power Output	80000 BTUs
Power Input Type	Gas - Natural Gas - Propane

C18-9 Garland Cuisine 18" Even-Heat Hot Top Add-A-Unit

Heavy Duty Even-Heat Hot Top

May be connected individually or in a battery.

Even-Heat Hot Top - 18" hot top section with 32,500 BTU/h (NG)

Stainless Steel Storage Base - Optional stainless steel doors and interior shelves.



C18-9M GARLAND CUISINE 18" HOT TOP ADD-A-UNIT MODULAR TOP

May be connected individually or in a battery.

Hot Top - One 18" hot top section with 32,500 BTU/h (NG)

Can be mounted on Polar Cuisine refrigerated base.

W x D x H	18" x 39 ³ / ₈ " x 12 ⁵ / ₈ "
	45.7 cm x 100 cm x 32.1 cm

Power Output	32500 BTUs
--------------	------------

Power Input Type	Gas - Natural Gas - Propane
------------------	--------------------------------



C18-9S GARLAND CUISINE 18" HOT TOP ADD-A-UNIT WITH STORAGE BASE

May be connected individually or in a battery.

Hot Top - One 18" hot top section with 32,500 BTU/h (NG)

Stainless Steel Storage Base - Optional stainless steel door and interior shelf.

W x D x H	18" x 39 ³ / ₈ " x 43 ¹ / ₄ " 45.7 cm x 100 cm x 109.9 cm
Power Output	33500 BTUs
Power Input Type	Gas - Natural Gas - Propane

C18-10 Garland Cuisine 18" Front-Fired Hot Top Add-A-Unit

Heavy Duty Front-Fired Hot Top

May be connected individually or in a battery.

Front-Fired Hot Top - 18" front-fired hot top rated 37,500 BTUs. Full Range valve control.

Stainless Steel Storage Base - Optional stainless steel doors and interior shelves.



C18-10S GARLAND CUISINE 18"
FRONT-FIRED HOT TOP ADD-A-UNIT
WITH STORAGE BASE

May be connected individually or in a battery.

Front-Fired Hot Top - 18" front-fired hot top rated 37,500 BTUs. Full Range valve control.

Stainless Steel Storage Base - Optional stainless steel door and interior shelf.

W x D x H 18" x 39 3/8" x 43 1/4"
45.7 cm x 100 cm x 109.9 cm

Table with 2 columns: Specification (Power Output, Power Input Type) and Value (37500 BTUs, Gas - Natural, Gas - Propane)



C18-10M GARLAND CUISINE 18"
FRONT-FIRED HOT TOP ADD-A-UNIT
MODULAR TOP

May be connected individually or in a battery.

Hot Top - One 18" hot top section with 32,500 BTU/h (NG)

Can be mounted on Polar Cuisine refrigerated base.

W x D x H	18" x 39 ³ / ₈ " x 12 ⁵ / ₈ " 45.7 cm x 100 cm x 32.1 cm
Power Output	37500 BTUs
Power Input Type	Gas - Natural Gas - Propane

C18-FMD Garland Cuisine 18" Range Match Frymate

Heavy Duty Frymate

Frymate - 18" (457mm) wide with door. Storage base cabinet comes with spreader top, which has a 12" x 20" x 2-1/2" stainless steel food pan and wire rack screen. The pan fits into the cut top of the spreader.

Solid work top available in lieu of the unit with food pan.

Shown with optional heat lamp.



C18-FMD GARLAND CUISINE 18" RANGE MATCH FRYMATE

Frymate - 18" (457mm) wide with door. Storage base cabinet comes with spreader top, which has a 12" x 20" x 2-1/2" stainless steel food pan and wire rack screen. The pan fits into the cut top of the spreader.

Solid work top available in lieu of the unit with food pan.

Shown with optional heat lamp.

W x D x H

18" x 41¹/₈" x 43³/₈"

45.7 cm x 104.5 cm x 110.2 cm

C18-S Garland Cuisine 18" Spreader

Heavy Duty Spreader

May be connected individually or in a battery.

Spreaders - Stainless steel top, front, and sides. 6" stainless Steel legs with adjustable feet.



C18-SC GARLAND CUISINE 18" SPREADER WITH CABINET BASE

May be connected individually or in a battery.

Spreader - Stainless steel top, front, and sides. 6" stainless Steel legs with adjustable feet.

Stainless Steel Storage Base - Optional stainless steel door and interior shelf.

W x D x H

18" x 32⁵/₈" x 43¹/₂"

45.7 cm x 82.9 cm x 110.5 cm



C18-SP GARLAND CUISINE 18" SPREADER PLATE

May be connected individually or in a battery.

Spreader - Stainless steel top, front, and sides. 6" stainless Steel legs with adjustable feet.

W x D x H

12" x 32⁵/₈" x 14"

30.5 cm x 82.9 cm x 35.6 cm

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: gyb@nt-rt.ru || сайт: <https://garland.nt-rt.ru/>