

Плиты для ресторанов средней мощности с открытыми горелками серий X24, X36, X60

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: gub@nt-rt.ru || сайт: <https://garland.nt-rt.ru/>

X24 SunFire X-Series 24" Restaurant Ranges

Medium-Duty 24" Restaurant Ranges with Open Burners

Gas restaurant series range with space-saver oven. 23-5/8" (600mm) wide with a 27" (686mm) deep work top surface. Stainless steel front, sides and 4"(102mm) wide front rail. 6" (152mm) legs with adjustable feet. Four robust 2 piece 30,000 Btuh/8.797 kW (Natural gas), cast open burners set in split cast iron ergonomic grates. Porcelain oven bottom and door liner. Three-position fixed rack guide w/one oven rack. Heavy-duty oven door with "keep cool" door handle. Straight steel tube oven burner 25,000 Btuh/7.33 kW (natural gas) provides quality bake and good recovery . Oven thermostat ranges from Low to 500° F (260° C).



X24-4L SUNFIRE X-SERIES 24" OPEN BURNER RANGE WITH SPACE-SAVER OVEN

24" Range with 4 Open Burners and 1 Space-Saver Oven

W x D x H

2361/4" x 335" x 5701/8"

600.1 cm x 850.9 cm x 1448.1 cm

Weight

302 lb 137 kg

Power Output

145000 BTUs

Power Input Type

Gas - Natural

Gas - Propane

Large 27" (686mm) work top surface
Stainless steel front and sides
Stainless steel 4" (102mm) plate rail
Stainless steel backguard w/ removable stainless steel shelf
12" (305mm) section stamped drip trays w/ dimpled bottom
Durable easy to read control knobs
Easy to clean 6" (152mm) steel core, injection molded legs
Pressure regulator, 3/4" NPT

• **Options & Accessories**

	<i>Low profile 9-3/8" (238mm) backguard stainless steel front and sides</i>
	<i>Additional oven racks</i>
	<i>6" (152mm) swivel casters (4), withfront locking</i>
	<i>Celsius temperature dials</i>

X60 SunFire X-Series 60" Restaurant Ranges

Medium-Duty Restaurant Ranges with Open Burners, Open Burner/Grill Combination Top, or Open Burner with Raised Griddle/Broiler

Gas restaurant series range with 2 standard size Sunfire ovens. 59-1/16" (1500mm) wide with a 27" (686mm) deep work top surface. Stainless steel front, sides and 4"(102mm) wide front rail. 6" (152mm) legs with adjustable feet. Ten robust 2 piece 30,000 Btuh/8.797 kW (Natural gas), cast open burners set in split cast iron ergonomic grates. Griddle on applicable models with cast iron "H" style burners, 18,000 Btuh/5.27 kW (natural gas), in lieu of open burners. Porcelain oven bottom and door liner. Two position fixed rack guide w/one oven rack. Heavy duty oven door with "keep cool" door handle. Straight steel tube oven burner 33,000 Btuh/9.67 kW (natural gas) provides quality bake and good recovery . Oven thermostat ranges from Low to 500° F (260° C).

Large 27" (686mm) work top surface
Stainless steel front and sides
Stainless steel 4" (102mm) plate rail
Stainless steel backguard w/ removable stainless steel shelf
12" (305mm) section stamped drip trays w/ dimpled bottom
Durable easy to read control knobs
Easy to clean 6" (152mm) steel core, injection molded legs
Pressure regulator, 1" NPT



X60-10RR SUNFIRE X-SERIES 60” OPEN BURNER RANGE WITH 2 STANDARD OVENS

60" Range with 10 Open Burners and 2 Standard Ovens

W x D x H

590½" x 335" x 570⅞"

1499.9 cm x 850.9 cm x 1448.1 cm

Weight

725.3 lb

329 kg

Power Output

366000 BTUs

Power Input Type

Gas - Natural

Gas - Propane



**X60-6G24RR SUNFIRE X-SERIES 60”
OPEN BURNER/GRIDDLE
COMBINATION RANGE WITH 2
STANDARD OVENS**

60" Range with a 24" Griddle, 6 Open Burners and 2 Standard Ovens

W x D x H
590½" x 335" x 570⅞"
1499.9 cm x 850.9 cm x 1448.1 cm

Weight	791.5 lb 359 kg
Power Output	282000 BTUs
Power Input Type	Gas - Natural Gas - Propane



**X60-6R24RR SUNFIRE X-SERIES 60”
OPEN BURNER RANGE WITH RAISED
GRIDDLE/BROILER AND 2 STANDARD
OVENS**

60" Range with 24" Raised Griddle/Broiler, 6 Open Burners and 2 Standard Ovens

W x D x H	590 ¹ / ₂ " x 335 ¹ / ₈ " x 570 ¹ / ₈ " 1499.9 cm x 8511.9 cm x 1448.1 cm
Weight	828.9 lb 376 kg
Power Output	279000 BTUs
Power Input Type	Gas - Natural Gas - Propane

X36 SunFire X-Series 36" Restaurant Ranges

Medium-Duty Restaurant Ranges with Open Burners or Open Burner/Grill Combination

Gas restaurant series range with standard size Sunfire oven. 35-7/16" (900mm) wide with a 27" (686mm) deep work top surface. Stainless steel front, sides and 4"(102mm) wide front rail. 6" (152mm) legs with adjustable feet. Six robust 2 piece 30,000 Btuh/8.797 kW (Natural gas), cast open burners set in split cast iron ergonomic grates. Griddle optional with cast iron "H" style burners, 18,000 Btuh/5.27 kW (natural gas), in lieu of open burners. Porcelain oven bottom and door liner. Two position fixed rack guide w/one oven rack. Heavy duty oven door with "keep cool" door handle. Straight steel tube oven burner 33,000 Btuh/9.67 kW (natural gas) provides quality bake and good recovery. Oven thermostat ranges from Low to 500° F (260° C).



**X36-6R SUNFIRE X-SERIES 36" OPEN
BURNER RANGE WITH STANDARD
OVEN**

36" Range with 6 Open Burners and 1 Standard Oven

W x D x H	354 ³ / ₈ " x 335" x 570 ¹ / ₈ " 900.1 cm x 850.9 cm x 1448.1 cm
Weight	430 lb 195 kg
Power Output	213000 BTUs
Power Input Type	Gas - Natural Gas - Propane



**X36-2G24R SUNFIRE X-SERIES 36" OPEN
BURNER/GRIDDLE
COMBINATION RANGE WITH
STANDARD OVEN**

36" Range with 24" Griddle, 2 Open Burners and 1 Standard Oven

 $W \times D \times H$

3543/8" x 335" x 5701/8"

900.1 cm x 850.9 cm x 1448.1 cm

Weight	496 lb 225 kg
Power Output	129000 BTUs
Power Input Type	Gas - Natural Gas - Propane

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: gyb@nt-rt.ru || сайт: <https://garland.nt-rt.ru/>